

[A]

ABCD² score 79
 1 α -hydroxyvitamin D₃ 335
 ACE阻害薬 … 21、22、42、85、86、118、133、138、267
 AHA/ASAガイドライン 153、154
 ACAS(Asymptomatic Carotid Atherosclerosis Study) 227
 ALLHAT (Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial) 21、27
 ancrod 62、98
 ApoE 148、261
 ARB 21、22、42、85、86、138、267、268
 ASCOT – BPLA (Anglo-Scandinavian Cardiac Outcomes Trial – Blood Pressure Lowering Arm) 22
 ASCOT-LLA (Anglo-Scandinavian Cardiac Outcomes Trial – Lipid Lowering Arm) 28
 ASPREE 268
 ATACH (Antihypertensive Treatment in Acute Cerebral Hemorrhage) 138、139
 ATRIA (AnTicoagulation and Risk factors in Atrial Fibrillation) 112
 ATT (Antithrombotic Trialists' Collaboration) … 104、105

[B]

β 遮断薬 7、21、22、32、85、138、175
 Barthel index … 62、153、276、277、278、289、328、352
 Bobath法 296
 Borden分類 165
 Brunnstrom stage 276、277、278
 Brunnstrom法 296

[C]

Ca製剤 335
 Ca拮抗薬 2、7、21、22、32、85、138、139、211、218、266、267
 CARAT study (The Cerebral Aneurysm Rupture After Treatment study) 194
 Cardiovascular Health Study 217
 CARDS (Collaborative Atorvastatin Diabetic Study) … 25、28
 CARE (Cholesterol Recurrent Events) Study 27
 CAS (Carotid artery stenting) 78、123
 CASE-J (Candesartan Antihypertensive Survival Evaluation in Japan) 22
 CASISP (Cilostazol versus Aspirin for Secondary Ischaemic Stroke Prevention) 試験 105
 CEA治療ガイドライン 120
 CHARISMA (Clopidogrel for High Atherothrombotic Risk and Ischemic Stabilization, Management, and Avoidance) 試験 79、106
 Citalopram 117
 CSPS (Cilostazol Stroke Prevention Study) 105
 CT angiography 264

[D]

3D-CTアンギオグラフィー (3D-CTA) … 188、211、233、236
 Davis (neurodevelopmental exercise) 296、297
 Dome neck aspect比 235
 dome/neck ratio 203、204

DSA (digital subtraction angiography) 188、206、233

[E]

EAF (European Atrial Fibrillation Trial) 試験 … 112、113
 EAS (encephalo-arterio-synangiosis) 250
 ECASS III 50
 EC-IC (extracranial-intracranial) bypass術 … 126、225、228
 EDS (encephalo-duro-synangiosis) 250
 EMS (encephalo-myo-synangiosis) 250
 EPA (Eicosapentaenoic acid) 89
 eprosartan 85
 ESPRIT (The European/Australasian Stroke Prevention in Reversible Ischaemia Trial) 79

[F]

FES (functional electrical stimulation) 300、301、308、309、313
 FIM (Functional Independence Measure) 276、277、278、281、296
 fluoxetine 117、297、338
 Fugl-Meyer assessment 276、277

[G]

GCS (Glasgow Coma Scale) 152、153、160、183、341
 GOS (Glasgow Outcome Scale) 182

[H]

HMG-CoA還元酵素阻害薬 (スタチン) 25、27、28、41、47、55、78、80、89、132、211、227、268
 HPS (Heart Protection Study) 25、27
 Hunt and Hess分類 182
 Hunt and Kosnik分類 182、183

[I]

INTERACT (Intensive Blood Pressure Reduction in Acute Cerebral Hemorrhage Trial) 138
 IST (International Stroke Trial) 53、67

[J]

J-ACT (Japan Alteplase Clinical Trial) 46、50
 JAM (Japanese Adult Moyamoya) Trial 254
 JATOS (The Japanese Trial to Assess Optimal Systolic Blood Pressure in Elderly Hypertensive Patients) … 2、22
 JCS (Japan Coma Scale) 48、57、152、153、154、287、341
 JET Study 126
 JIKEI HEART (Japanese Investigation of Kinetic Evaluation In Hypertensive Events And Remodeling Treatment) Study 22
 J-LIT (Japan Lipid Intervention Trial) 28
 J-MUSIC (Japan Multicenter Stroke Investigators' Collaboration) 31、46
 JPHC Study (Japan Public Health Center-based Prospective Study on Cancer and Cardiovascular Disease) 35
 JPHC (Japan Public Health Center) Study Cohort I 37

JSS (Japan Stroke Scale) 276, 277, 344
 JSH2009 85, 86
 Jカーブ現象 85, 91, 104

[L]

LIPID (Long-Term Intervention with Pravastatin in Ischemic Disease) Study 27

[M]

MAS (modified Ashworth scale) 308, 309
 MATCH (Management of Atherothrombosis with Clopidogrel in High-risk Patients with recent TIA or ischemic stroke) 試験 79, 106
 MEGA Study (Management of Elevated Cholesterol in the Primary Prevention Group of Adult Japanese) 28
 MOSES (Morbidity and Mortality after Stroke, Eprosartan Compared with Nitrendipine for Secondary Prevention) 研究 85
 MRA (Magnetic Resonance Angiography) 165, 188, 206, 211, 233, 236, 250
 MRC (Medical Research Council) / BHF (British Heart Foundation) HPS (Heart Protection Study) 25
 MRI グラディエントエコー法 261
 mRS (modified Rankin Scale) 46, 69, 126, 136, 153, 237, 277, 350
 multiple burr hole surgery 250

[N]

NIHSS (NIH Stroke Scale) 46, 48, 52, 69, 107, 276, 277, 281, 342, 343
 nimodipine 7, 57, 138, 211, 269
 NMDA 受容体阻害薬 267, 268
 NSAIDs (non-steroidal antiinflammatory drugs) 17, 174, 185, 268, 313, 314

[O]

ONTARGET (The Ongoing Telmisartan Alone and in Combination with Ramipril Global Endpoint Trial) 研究 22, 86

[P]

pentastarch 61
 PICA (Prevention of Ischemic Cerebrovascular disease with Antihypertensive Nilvadipine) study 218, 220, 248
 PNF (Proprioceptive neuromuscular facilitation) 法 296
 Poor Hunt & Hess grade 187
 PRO active (PROspective pioglitAzone Clinical Trial macro In Vascular Events) Study 25, 88
 PRoFESS (Prevention Regimen for Effectively Avoiding Second Strokes Trial) 研究 79, 86, 106
 PROGRESS (Perindopril Protection Against Recurrent Stroke Study) 80, 85, 132, 133, 148, 268
 PROSPER (Pravastatin in elderly individuals at risk of vascular disease) 27

[R]

Rotterdam Scan Study 217, 218, 220

rt-PA (アルテプラザー) 静注療法適正治療指針 48, 252
 rt-PA 3, 17, 46, 48, 49, 50, 52, 252, 259, 260

[S]

SAPPHIRE 研究 123
 4S (Scandinavian Simvastatin Survival Study) 27
 SCOPE (Study on Cognition and Prognosis in Elderly) 268
 SCU (Stroke Care Unit) 18, 49, 118
 SIAS (Stroke Impairment Assessment Set) 276, 277, 278, 350
 SICHPA (stereotactic treatment of ICH by means of a plasminogen activator) 153
 SIMVS (Scottish Intracranial Vascular Malformation Study) 165
 SPAF III (Stroke Prevention in Atrial Fibrillation III) 試験 112
 SPARCL (Stroke Prevention by Aggressive Reduction of Cholesterol Levels) 研究 89, 132
 Spetzler-Martin 分類 159, 160, 161, 230
 STA-MCA 吻合術 250
 STICH (International Surgical Trial in Intracerebral Haemorrhage) 152, 153
 SU (Stroke unit) 3, 18, 19
 Syst-Eur 268

[T]

TENS (transcutaneous electrical nerve stimulation) 308, 309
 The Northern Manhattan Study 220
 TIA 2, 31, 32, 55, 78, 79, 80, 85, 89, 95, 103, 104, 106, 107, 110, 111, 112, 113, 120, 121, 126
 triple H 療法 211

[U]

UCAS Japan (Unruptured Cerebral Aneurysm Study in Japan) 236, 237

[W]

WAB 失語症検査 324, 325
 Willis 動脈輪閉塞症 (もやもや病) 48, 242, 250, 252, 254

〔あ〕

アスピリン
 …… 17、31、32、46、55、66、67、78、79、80、85、
 95、103、104、105、106、107、111、112、174、
 175、218、252、253、256、257、268

アセタゾラミド …… 126、225

アセトアミノフェン …… 13

アテノロール …… 21、22

アテローム血栓性脳梗塞 …… 46、103、252、288

アトルバスタチン …… 25、28、41、47、80、89

アマンタジン …… 118

アミトリプチリン …… 316

アミロイドアンギオパチー …… 174、242、261

アムロジピン …… 21、22

アルガトロバン …… 53、54、252

アルツハイマー病 …… 242、267、268、269

アルテプラゼ …… 46、48、49、50、74、75、252

アルブミン …… 57、61

アンジオテンシンⅡ受容体拮抗薬(ARB)
 …… 21、22、42、85、86、138、267、268

アンジオテンシン変換酵素(ACE)阻害薬
 …… 21、42、78、80、85、86、118

アンチトロンビン-Ⅲ …… 102

〔い〕

維持期リハビリテーション …… 274、291

一過性脳虚血発作(TIA)
 …… 2、31、32、78、85、95、103、104、111、112、120、
 121、126

一側大脳半球梗塞 …… 69

遺伝子組み換え組織プラスミノゲンアクチベーター(rt-PA)
 …… 3、17、46、48、206、211、242、252、259、260

イフェンプロジル …… 107、116

イブジラスト …… 107、116

イブリフラボン …… 335

咽喉頭感覚検査(FEEST) …… 318

飲酒 …… 2、37、38、78、80、91、132、185、235

インダパミド …… 80、268

〔う〕

うつ …… 11、117、150、234、235、327、338、339

ウロキナーゼ
 …… 48、50、51、52、153、154、155、206、211、259、260

〔え〕

エダラボン …… 57、252

エチドロン酸 …… 335

エチルアルコール …… 308

エルゴメーター …… 331

嚥下障害 …… 15、118、318、319

嚥下造影検査(VF検査) …… 15、118

嚥下誘発テスト(SPT) …… 318

〔お〕

オザグレルナトリウム …… 54、55、211、252

〔か〕

回復期リハビリテーション …… 274、289、291

海綿状血管腫 …… 168、169

外来リハビリテーション …… 291、292

拡張型心筋症 …… 111

下垂体卒中 …… 173

活性化部分トロンボプラスチン時間(APTT) …… 76、111

カルバマゼピン …… 316

間歇的空気圧迫法 …… 66、67

関節可動域訓練 …… 284、308、313、314

カンデサルタン …… 3、8、22、268

〔き〕

奇異性脳塞栓症 …… 242、256、257

記憶障害 …… 327、328、329

キシメラガトラン …… 47

喫煙 …… 35、40、80、91、185、235、236

気道確保 …… 6、49、141

機能的電気刺激(FES) …… 300、313

急性期リハビリテーション …… 272、274、283、284

急性心筋梗塞 …… 7、139、283

禁煙 …… 35、42、78、80、91、253

〔く〕

グリセロール …… 10、142、252、259

クロピドグレル
 …… 31、46、78、79、103、104、105、106、174、175、253

クロルタリドン …… 21

〔け〕

頸動脈ステント留置術(CAS) …… 78、80、123

頸動脈内膜剝離術(CEA) …… 78、80、123、227

経皮的血管形成術(PTA) …… 73、125、202、211、227

経皮的電気刺激(TENS) …… 308、309

頸部頸動脈血行再建術 …… 72

痙攣 …… 14、48、144、149、159、161、168、171、252、259、
 260、283、284

血液希釈療法 …… 61

血管強化薬 …… 136

血管性認知障害 …… 267、268、269

血漿増量薬 …… 61

血栓溶解薬 …… 47、48、174、242

血栓溶解療法
 …… 7、46、48、52、74、139、174、175、259、260、261

減圧開頭術 …… 69

言語聴覚療法 …… 289、324

肩手症候群 …… 313、314

〔こ〕

降圧薬
 …… 7、21、22、42、49、78、79、80、85、86、133、138、
 187、242、267、268

降圧療法
 …… 2、7、21、22、49、80、85、132、133、242、252、253

高圧酸素療法 …… 65、141

抗凝固薬 …… 110、112、113、133、174、242、247、259、260、
 264

抗凝固療法
 …… 53、54、74、76、78、80、99、111、112、113、174、
 175、223、244、245、252、256、259、261
 抗痙攣薬…………… 252、259、260
 抗血小板薬
 …… 31、46、54、74、75、103、104、105、106、107、
 110、111、112、113、118、120、133、174、227、
 242、245、247、252、253、260、264
 抗血小板療法
 …… 31、46、55、74、78、103、110、120、175、217、
 223、225、227、244、252、256
 抗血栓薬…………… 12、48、79、132、174、252
 抗血栓療法
 …… 31、32、49、79、132、133、175、244、245、256、
 256、257
 高血圧
 …… 2、7、21、22、32、40、85、130、132、133、136、
 138、148、174、183、185、208、217、218、220、
 223、235、242、266、268
 高血圧性脳症…………… 7、242、266
 高血圧治療ガイドライン……………2、21、25、49、130
 高血糖……………9、40、208、283、284
 抗てんかん薬…………… 144、149、316
 抗プラスミン薬…………… 136
 高ホモシステイン血症…………… 101
 硬膜動静脈瘻……………165、166
 抗リン脂質抗体症候群……………99
 誤嚥……………15、118、283、319、319
 誤嚥性肺炎……………15、118、318
 呼吸リハビリテーション……………11
 呼吸器感染…………… 11、118
 国際未破裂脳動脈瘤研究 (ISUIA) …… 236
 骨粗鬆症…………… 335
 コリンエステラーゼ阻害薬……………267、268

【さ】

作業療法…………… 284、289、291、294、296、300
 三環系抗うつ薬 …… 117、150、322、338、339

【し】

ジアゼパム…………… 308
 シクロホスファミド…………… 261
 脂質異常症…25、27、28、38、40、89、120、132、242、253
 視床出血…………… 152、154、287
 失行…………… 327、328
 失語症…………… 324、325
 質問紙法…………… 318
 ジビリダモール…………… 103、105、106、107
 循環器疾患における抗凝固・抗血小板療法に関する
 ガイドライン …… 111
 昇圧薬…………… 7
 消化管出血…………… 12、105、106、145、283、284
 症候性てんかん……………14
 硝酸薬…………… 138
 小脳出血…………… 133、152、154
 静脈性血管腫…………… 171
 職業リハビリテーション…………… 291

ジルチアゼム…………… 139
 シロスタゾール……………78、79、103、104、105、107
 神経ブロック…………… 301、308、309
 心原性脳塞栓症……………2、46、60、110、218、256
 人工呼吸管理…………… 6、141、252
 新鮮凍結血漿……………136、174、175、252
 親動脈近位部閉塞術……………199、247
 親動脈閉塞術…………… 203
 シンバスタチン……………25、27、28
 深部静脈血栓症……………11、66、67、147、256、257、283
 心不全…………… 7、21、22、31、32、42、123、264、283、288
 腎不全…………… 7、133、178
 深部皮質下白質病変…………… 220

【す】

水頭症……………69、152、154、187、193、208、287
 睡眠時無呼吸症候群 (SAS) ……38
 頭蓋内圧亢進
 …… 7、10、66、138、141、142、146、178、193、252、
 259、260、287
 スタチン……………25、27、28、78、80、89、132、211、227、268
 頭痛……………17、74、103、105、107、171、247、263
 ステロイド療法……………63
 スtent留置術
 …… 46、72、73、78、80、123、125、227、228、264
 ストレプトキナーゼ……………50
 スルフィンピラゾン…………… 105

【せ】

咳反射テスト…………… 318
 セロトニン・ノルアドレナリン再取り込み阻害薬 (SNRI)
 …… 338
 線維筋性形成異常症……………242、263
 全身性エリテマトーデス (SLE) ……99
 選択的セロトニン再取り込み阻害薬 (SSRI) ……117、338
 先天性血栓性素因…………… 102

【そ】

ゾニサミド…………… 316
 ゴレドロン酸…………… 335

【た】

大動脈炎症候群……………242、264
 大動脈解離……………7、75、244
 大脳白質病変…………… 220、221、223
 弾性ストッキング…………… 66、67、147
 ダントロレンナトリウム…………… 308

【ち】

地域リハビリテーション…………… 291
 チクロピジン…………… 78、79、103、104、105、106、174
 チザニジン…………… 308
 遅発性脳血管攣縮…………… 182、197、206、208、211
 注意障害…………… 327、328、329
 中枢性高体温…………… 283
 中大脳動脈塞栓性閉塞……………52

【つ】

通所リハビリテーション…………… 292

【て】

定位的血腫除去術…………… 178

定位放射線治療

…………… 159、160、161、165、166、168、169、171、230

低栄養…………… 9、283、284

低血圧……………7、201、208、283

低血糖…………… 9

低コレステロール血症…………… 132

低酸素血症……………6、7

低体温療法…………… 13、64、146

低ナトリウム血症……………201、208

低分子ヘパリン…………… 53、66、113、174、259

デキストラン……………61、66、67

デスモテブラーゼ……………47

テルミサルタン……………22、79、80、86

転倒……………11、291、335

【と】

糖尿病

…………… 2、9、21、22、25、27、28、29、31、32、38、40、
42、43、47、48、79、88、99、103、105、106、
133、174、183、242、253

動脈硬化性疾患予防ガイドライン 2007 年版……………29、89

動脈病変に起因する脳梗塞…………… 107

動脈瘤トラッピング術…………… 199

動脈瘤被包術…………… 199

ドネベジル…………… 267

トラゾドン……………117、338

トリウムシノロンアセトニド…………… 314

トルペリゾン…………… 308

トレッドミル……………291、300、301、302、309、331

【な】

内臓肥満……………40、93

内反尖足……………300、301

ナファモスタット…………… 178

【に】

ニカルジピン…………… 138、139、266

ニセルゴリン……………107、116、267、269

ニトレンジピン…………… 85、268

尿路感染…………… 11、118、283、284

ニルバジピン……………138、218

認知障害…………… 116、218、221、242、267、268、269、281、
291、294、327、328、329

ニフェジピン…………… 139

【の】

脳幹出血……………152、154

脳室ドレナージ…………… 69、152、154、208

脳室周囲高信号域 (PVH) …… 220

脳室周囲病変…………… 220

脳室腹腔シャント術…………… 208

脳腫瘍…………… 173

脳循環代謝改善薬……………107、116

脳静脈閉塞症…………… 76、102

脳卒中・リハビリテーション認定看護師…………… 3

脳卒中ユニット……………283、284

脳卒中リハビリテーションユニット……………283、284

脳卒中重症度スケール (JSS) ……276、277、344、345

脳卒中連携パス…………… 290

脳動脈奇形…………… 48、154、159、160、161、216、223、230

脳動脈解離…………… 74、242、244、247

脳動脈瘤…………… 48、124、160、185、187、188、193、194、197、
199、203、206、216、233、234、235、236、
237、238、244

脳動脈瘤破裂……………187、197

脳動脈瘤頸部クリッピング術…………… 199

脳ヘルニア……………6、160

脳保護薬…………… 57、252

ノルトリプチリン……………117、338

【は】

バイオフィードバック…………… 300、301、302、319、322

肺塞栓症…………… 11、66、147

排尿障害…………… 322

廃用症候群……………272、274、283、284

バクロフェン…………… 308

パバベリン……………211、212

半側空間無視……………291、327、328、329

反復唾液嚥下テスト (RSST) …… 318

【ひ】

ピオグリダゾン……………25、26

被殻外側 (外包) 出血…………… 223

被殻出血…………… 152、153、154、178、287

皮質下出血……………152、153

微小脳出血…………… 133、223、253

非ステロイド性消炎鎮痛薬 (NSAID)
…………… 17、174、185、268、313、314

ビタミン K ……174、252

ヒドロキシエチルデンプン……………61

非弁膜症性心房細動 (NVAF)
…………… 31、32、78、80、111、112、113

肥満…………… 2、25、40、42、80、93、185、253

標準失語症検査 (SLTA) …… 324

ピラセタム……………57、324、325

【ふ】

ファシリテーション……………296、297

ファスジル……………211、212

フィブリノゲン……………62、91、98、147、174

フィブリノゲン低下薬……………62

フェノール……………300、301、308、309

副腎皮質ホルモン…………… 10、63、142

腹部型肥満 (waist to hip-circumference ratio :
WHR 高値) ……93

プラバスタチン……………27、28

フルボキサミン…………… 339

プレドニゾロン……………264、314

プロキシカム…………… 314

プロスタサイクリン…………… 7、55、91
 プロタミン…………… 111、174、206
 プロテインC…………… 102
 プロテインS…………… 102
 プロトロンビン複合体…………… 136、174、175

【へ】

ヘパリノイド……………53、66
 ヘパリン
 …… 48、53、66、76、103、111、112、113、147、174、
 178、206、244、259、260
 ヘマトクリット……………97、185、211
 ベラバミル…………… 139
 ベリンドプリル…………… 22、80、268

【ほ】

訪問リハビリテーション……………291、292
 ホームプログラム……………291、294
 ボツリヌス療法…………… 308
 ホモシステイン……………101、220

【ま】

慢性腎臓病 (CKD) ……21、42
 マンニトール……………10、60、142、260

【み】

水飲みテスト……………15、118、318
 未破裂脳動静脈奇形…………… 216
 未破裂脳動脈瘤…188、216、233、234、235、236、237、238
 ミルナシブラン…………… 338

【む】

無症候性脳出血……………216、223
 無症候性頸動脈狭窄……………120、121、227、228
 無症候性脳梗塞……………40、216、217、218、220
 無症候性脳動静脈奇形…………… 230

【め】

メキシレチン…………… 316
 メコバラミン…………… 335
 メタボリックシンドローム…………… 2、40、93、218、220
 メナテトレノン…………… 335
 免疫抑制薬…………… 261

【ゆ】

有酸素運動……………291、309、331、332

【よ】

葉酸……………101、335
 腰椎腹腔シャント術…………… 208

【ら】

ラクナ梗塞
 ……46、85、86、103、105、106、217、221、223、256、
 287、288
 ラジカル消去薬……………47
 ラミプリル……………22、86
 ラモトリギン…………… 316

卵円孔開存……………256、257

【り】

リウマチ性心臓病…………… 111
 理学療法……………11、284、289、296、300、301、309
 リセドロン酸…………… 335
 利尿薬…………… 21、22、80、85、187、260、268
 瘤内塞栓術……………203、204

【ろ】

ロサルタン……………21

【わ】

ワルファリン
 …… 31、32、76、78、80、85、95、99、102、106、
 107、110、111、112、113、174、175、244、
 245、256、257、259、261